

## 3D-PRINTING IN CONTEMPORARY PROSTHODONTIC TREATMENT

Iveta Katreva<sup>1</sup>, Tsanka Dikova<sup>2</sup>, Metodi Abadzhiev<sup>1</sup>, Tsvetan Tonchev<sup>3</sup>,  
Dzhendo Dzhendov<sup>1</sup>, Maksim Simov<sup>4</sup>, Svetlana Angelova<sup>4</sup>, Diana Pavlova<sup>4</sup>,  
Maya Doychinova<sup>5</sup>

<sup>1</sup>*Department of Prosthetic Dentistry and Orthodontics, Faculty of Dental Medicine,  
Medical University of Varna*

<sup>2</sup>*Department of Medical and Biological Sciences, Faculty of Dental Medicine,  
Medical University of Varna*

<sup>3</sup>*Department of Oral and Maxillofacial Surgery and Special Imaging Diagnostic,  
Faculty of Dental Medicine, Medical University of Varna*

<sup>4</sup>*Medical College, Medical University of Varna*

<sup>5</sup>*Department of Conservative Dentistry, Faculty of Dental medicine,  
Medical University of Varna*

### ABSTRACT

The purpose of the present paper is to make a review of the applications for 3D-printing in contemporary prosthetic treatment as this modern technology has become widely spread not only in the industry but in medicine and dentistry, too. It is a form of additive manufacturing technology where a three-dimensional object is created by laying down successive layers of material.

**Keywords:** 3D-printing, rapid prototyping, additive manufacturing of prosthetic constructions

### INTRODUCTION

The concept of computer-aided design/computer-aided manufacturing (CAD/CAM) of objects was invented long time ago in the 1970s and has already been applied in the field of dentistry for decades for fabrication of dental restorations in prosthodontics. The first step of the process is the creation of a 3D digital model of the future construction which is generated by the CAD. Then the real object is fabri-

cated by the CAM unit. The data for the CAD is obtained either through indirect scanning of a plaster model or through intraoral scanning of the prosthetic field. The direct approach of scanning is a result of the long evolution of this technology and eliminates all the existing disadvantages of impression materials as well as the chance of a laboratory mistake. Digital impressions are highly accurate, dimensionally stable and comfortable for the patient. The communication between the dental office and the laboratory has never been so easy regardless of the distance between them. The whole procedure is reduced to sending just a file. Then a digital prototype of the construction is built and processed to the CAM unit. There are two possibilities for the manufacturing of the real dental restoration in this stage – subtractive and additive technologies. Rapid prototyping (RP) has progressed swiftly in various fields of dentistry as it has the potential to overcome known draw-

---

#### Address for correspondence:

Iveta Katreva - Bozukova  
Faculty of Dental medicine,  
Medical University of Varna  
84, "Tzar Osvoboditel" str.,  
9000 Varna, Bulgaria  
e-mail: ikatreva@yahoo.com

**Received:** December 16, 2015

**Accepted:** March 15, 2016

backs of the subtractive techniques such as fit problems, wasting of considerable amount of raw material, excessive abrasion of milling tools, microscopic cracks into the ceramic, limitations of the precision fit of the inside contour which depends on the smallest tool (1,2,3,4,5).

so-called “3D-printing” (1,9) (Fig. 1). Synonymous terms that are often used in different science sources are also: “layered manufacturing”, “freeform fabrication”, “rapid prototyping”, “rapid manufacturing” (7,9,10,11,12).



Fig. 1. The process of 3D-printing (13)

The aim of the present paper is to make a review of the applications of 3D-printing technologies in contemporary prosthodontic treatment.

### **ADDITIVE MANUFACTURING**

The term “additive manufacturing” is defined by the American Society for Testing and Materials (ASTM) as: „the process of joining materials to make objects from 3D model data, usually layer upon layer, as opposed to subtractive manufacturing methodologies” (6,7). The “joining” of each new predetermined layer upon the previous layer is based on melting, fusing or a polymerization process. Engineering has invented various technologies for additive manufacturing. Stereo lithography, fused deposition modeling, selective electron beam melting, laser powder forming and inkjet printing are the most used methods in dentistry (8).

For the purpose of layer-by-layer structuring of the real dental restoration, first, the digital image of the object is sliced in the CAD unit by special software. Then the manufacturing of the 3D prosthesis continues with a process almost similar to printing on paper – one layer on top of another. It is the

3D printers are machines that produce physical 3D models from digital data by printing layer by layer. They can make physical models of objects either designed with a CAD program or scanned with a 3D scanner.

Stereo lithography (SLA) is the first additive technology that was created by Charles Hull for manufacturing of prototypes, models and casting patterns (14). The indications for the use of SLA gave the name of the term “rapid prototyping”.

### **3D PRINTING IN PROSTHETIC DENTISTRY**

3D printing is a modern technology with various applications in prosthetic dentistry that has developed rapidly during last years as it saves time, manpower and guarantees perfect marginal fit of the fabricated constructions (15).

Very important advantage of the additive technologies concerning prosthetic dentistry, is the possibility to print objects from various materials: polymers, composites, metals and alloys with a dense structure and predetermined surface roughness (8). They allow the manufacturing of complicated geometrical shapes without the need of special adjusting


of the CAM unit as well as the use of different materials in different parts of the same object after controlled conduction (11).

Currently the most frequently applied additive technologies in Prosthetic Dentistry are stereolithography (SLA), inkjet-based system (3DP), selective laser sintering (SLS) and fused deposition modeling (FDM) mainly with wax, metal alloys, resin materials and ceramics (11,16). The innovations and development of material and engineering sciences made the RP technologies more popular for dental purposes not only for prototyping but also for fabrication of real functional objects (17, 18). Due to the great variety of additive manufacturing processes and materials 3D printing is applied for the production of different constructions not only in prosthodontics but also in many other fields of dentistry – surgery, oral im-

plantology, orthodontics, etc. (Fig. 2).

#### *Fabrication of Wax Patterns for Prosthetic Constructions*


The mManufacturing of wax pattern is the first step in the process of fabrication of a dental prosthesis. The RP technologies had made possible automatic build- up of numbers of wax patterns for different dental constructions by structuring them up layer by layer. The Nnext step remains the traditional lost-wax procedure. (Fig. 3) Stereolithography is also feasible for the manufacturing of custom trays, provisional crowns and bridges (Fig. 4), removable partial and complete dentures, surgical guides, preventive splits and appliaences, etc. for the purpose of prosthetic dentistry.



*Fig. 2. Maxillofacial prosthesis and complete denture fabricated by additive manufacturing (13)*

plantology, orthodontics, etc. (Fig. 2).

The feasibility of 3D printing in prosthodontics has been increasing in the last years (17,19,20). Rapid prototyping can be implemented for the fabrication of implant surgical guides, frameworks for fixed and removable partial dentures, wax patterns for the dental prosthesis, zirconia prosthesis and molds for metal castings, maxillofacial prosthesis and complete denture (21). It helps a lot during the planning and developing of a certain construction in prosthet-



*Fig. 3. Wax patterns, produced by 3D printing – a) and 4-part bridges produced by SLM of Co-Cr alloy – b). (1 – as received SLM bridge, 2 – after mechanical treatment, 3 – after sand-blasting)*



Fig. 4. Polymer temporary bridges, produced by stereolithography.

### Direct Fabrication of Prosthetic Constructions from Metal

Direct fabrication of metal prosthesis is already possible through selective laser sintering/selective laser melting technologies (SLS/SLM) (Fig. 3). The new technologies skip the long preparation process in conventional lost-wax manufacturing and respectively eliminate the risk of failure especially in cases with metal parts with complex shape as are the prosthetic constructions.

#### 3D Printing of Molds for Metal Casting

Ceramic casting molds are fabricated through an incremental printing method (23) without the need of manufacturing wax pattern and all of the following steps in the wax-eliminating process (21,24).

#### 3D Printing of Molds for Facial Prosthesis

Rapid prototyping aided manufacturing of facial prosthesis molds is alternative to the conventional flasking and investment procedures. This modern trend in the fabrication of facial prosthesis shortens the whole process and allows multiple pourings from a single mold (25).

#### 3D Printing of Molds for Complete Dentures

Advanced manufacturing technologies are used in the field of complete dentures mainly to fabricate a physical mold of the denture through a CAD process. 3D graphic records of the artificial teeth as well as 3D data of the edentulous rims and their centric relation are needed for the software. Since the mold is ready the complete denture undergoes the traditional manufacturing process to be ready for the dental office (21,24,26).

### Fabrication of All-Ceramic Restorations

The direct inkjet advanced technology can be implemented for fabrication of green-zirconia all-ceramic restorations (27). The 3D printing of all-ceramic restorations is still an object of science researches and experiments.

### CONCLUSION

There is no doubt that in the future additive technologies will replace many stages and even the whole process of the conventional manual making of dentures and the specialists will need to control and participate in the CAD/CAM process only in the visualization part. The main advantages of the RP manufacturing of dental restorations are the significant decrease of the time needed for production cycle and the cost of the final restoration. It also favors a collaboration between the dental laboratory and the dental office. Last but not least, there is the important fact that advanced technologies eliminate the risk of dimensional changes of the impressions and casts because they skip these procedures – the prosthetic field can just be scanned and the model directly printed without any disruption of the tissues. The dental laboratory does not need more square meters now because everything is stored simply in the computer hard disk.

### Acknowledgements

The present study is supported by the project with contract B02/19,12 Dec 2014, of the Fund for Scientific Investigations, Ministry of Education and Science.

### REFERENCES

1. Cohen A. "Vacuum forming applications using rapid prototyping technology", Object Geometries: White Paper; 2008. available at: [http://www.tritech3d.co.uk/images/contentitems/63\\_1\\_1.pdf](http://www.tritech3d.co.uk/images/contentitems/63_1_1.pdf)
2. Wang JW, Shaw LL. "Fabrication of functionally graded materials via inkjet color printing", J Am Ceram Soc 2006; 89: 3285-3289
3. Tay BY, Evans JRG, Edirisinghe MJ. "Solid Free-form Fabrication of Ceramics", Int Mater Rev 2003; 48: 341- 370
4. Özkol E, Ebert J, Uibel K, Wätjen AM, Telle R. "Development of high solid content aqueous 3Y-TZP suspensions for direct inkjet printing using a thermal inkjet printer", J Eur Ceram Soc 2009; 29: 403-409

5. Noguera R, Lejeune M, Chartier T. "3D fine scale ceramic components formed by ink-jet prototyping process", *J Eur Ceram Soc* 2005; 25: 2055-2059
6. Van Noort R. "The future of dental devices is digital", *Dent Mater.* 2012; 28:3-12. [PubMed]
7. Dovbish VM, Zabednov PV, Zlenko MA. "Additivnie tehnologii i izdelia iz metala", 57p.[in Russian]
8. Dikova T, Dzhendov D, Simov M, Katreva-Bozukova I, Angelova S, Pavlova D, Abadzhiev M, Tonchev T. "Modern trends in the development of the technologies for production of dental constructions", *Journal of IMAB - Annual Proceeding (Scientific Papers)* 2015, vol. 21, issue 4, pp 974-981
9. Thomas D. "The Development of Design Rules for Selective Laser Melting" [PhD thesis]. [Cardiff]: University of Wales Institute; 2009. 318 p
10. Gosawi S, Kumar S, Lakhyani R, Bacha S, Wangadargi S. "Lasers in prosthodontics - a review", *Journal of Evolution of Medical and Dental Sciences.* 2012 Oct;1(4):624-634
11. Andonović V, Vrtanoski G. "Growing rapid prototyping as a technology in dental medicine", *Mech Eng Sci J* 2010; 29: 31-39
12. Weiss LE. "Process overview. Rapid prototyping in Europe and Japan", Loyola College of Maryland, Baltimore, MD. Available at: [http://www.wtec.org/loyola/rp/a\\_bios.htm#LWeiss](http://www.wtec.org/loyola/rp/a_bios.htm#LWeiss)
13. Luthra V, Sharma V. "3D Printing", CSE – 5D, ITM University, ppt. available at [www.slideshare.net](http://www.slideshare.net)
14. Hull CW. "Apparatus for production of three dimensional objects by stereolithography", U.S. patent 4575330, U.S. Patent Office, March 11, 1986
15. Beijing Da Xue Xue Bao., Liu XZ, Lu PJ, Wang Y. "Research progress of dental machinable materials", 2008 Dec 18;40(6):654-7. [Article in Chinese]
16. Azari A, Nikzad S. "The evolution of rapid prototyping in dentistry: a review", *Rapid Prototyping J* 2009; 15: 216-225
17. Sun J, Zhang FQ. "The application of rapid prototyping in prosthodontics", *J Prosthodont* 2012; 21: 641-644
18. Goiato MC, Santos MR, Pesqueira AA, Moreno A, dos Santos DM, Haddad MF. "Prototyping for surgical and prosthetic treatment", *J Craniofac Surg* 2011; 22: 914-917
19. Jeng JY, Chang KY, Dong DR, Shih HS. "Tooth crown fabrication using reverse engineering technology and model maker rapid prototyping system", *Rapid Prototyp J* 2000; 6: 136-145
20. Bibb R, Eggbeer D, Williams R. Rapid manufacture of removable partial denture frameworks. *Rapid Prototyping J* 2006; 12: 95-99
21. Torabi K., Farjood E., Hamedani Sh. "Rapid Prototyping Technologies and their Applications in Prosthodontics, a Review of Literature", *J Dent Shiraz Univ Med Sci.*, March 2015; 16(1): 1-9
22. Han J, Wang Y, Lü P. "A preliminary report of designing removable partial denture frameworks using a specifically developed software package", *Int J Prosthodont* 2010; 23: 370-375
23. Bassoli E, Gatto A, Luliano L, Violente MG. "3D printing technique applied to rapid casting", *Rapid Prototyping J* 2007; 13: 148-155
24. Sun J, Zhang FQ. "The application of rapid prototyping in prosthodontics", *J Prosthodont* 2012; 21: 641-644
25. Cheah CM, Chua CK, Tan KH. "Integration of laser surface digitizing with CAD/CAM techniques for developing facial prostheses. Part 2: Development of molding techniques for casting prosthetic parts", *Int J Prosthodont* 2003; 16: 543-548
26. Sun Y, Lü P, Wang Y. "Study on CAD&RP for removable complete denture", *Comput Methods Programs Biomed* 2009; 93: 266-272